



hereditary multiple osteochondromas

Hereditary multiple osteochondromas is a condition in which people develop multiple benign (noncancerous) bone tumors called osteochondromas. The number of osteochondromas and the bones on which they are located vary greatly among affected individuals. The osteochondromas are not present at birth, but approximately 96 percent of affected people develop multiple osteochondromas by the time they are 12 years old. Osteochondromas typically form at the end of long bones and on flat bones such as the hip and shoulder blade.

Multiple osteochondromas can disrupt bone growth and can cause growth disturbances of the arms, hands, and legs, leading to short stature. Often these problems with bone growth do not affect the right and left limb equally, resulting in uneven limb lengths (limb length discrepancy). Bowing of the forearm or ankle and abnormal development of the hip joints (hip dysplasia) caused by osteochondromas can lead to difficulty walking and general discomfort. Multiple osteochondromas may also result in pain, limited range of joint movement, and pressure on nerves, blood vessels, the spinal cord, and tissues surrounding the osteochondromas.

Osteochondromas are typically benign; however, in some instances these tumors become malignant (cancerous). Researchers estimate that people with hereditary multiple osteochondromas have a 1 in 20 to 1 in 200 lifetime risk of developing cancerous osteochondromas (called sarcomas).

Frequency

The incidence of hereditary multiple osteochondromas is estimated to be 1 in 50,000 individuals. This condition occurs more frequently in some isolated populations: the incidence is approximately 1 in 1,000 in the Chamorro population of Guam and 1 in 77 in the Ojibway Indian population of Manitoba, Canada.

Genetic Changes

Mutations in the *EXT1* and *EXT2* genes cause hereditary multiple osteochondromas. The *EXT1* gene and the *EXT2* gene provide instructions for producing the proteins exostosin-1 and exostosin-2, respectively. The two exostosin proteins bind together and form a complex found in a cell structure called the Golgi apparatus, which modifies newly produced enzymes and other proteins. In the Golgi apparatus, the exostosin-1 and exostosin-2 complex modifies a protein called heparan sulfate so it can be used by the cell.

When there is a mutation in exostosin-1 or exostosin-2, heparan sulfate cannot be processed correctly and is nonfunctional. Although heparan sulfate is involved in

many bodily processes, it is unclear how the lack of this protein contributes to the development of osteochondromas.

If the condition is caused by a mutation in the *EXT1* gene it is called hereditary multiple osteochondromas type 1. A mutation in the *EXT2* gene causes hereditary multiple osteochondromas type 2. While both type 1 and type 2 involve multiple osteochondromas, mutations in the *EXT1* gene likely account for 55 to 75 percent of all cases of hereditary multiple osteochondromas, and the severity of symptoms associated with osteochondromas seems to be greater in type 1.

Researchers estimate that about 15 percent of people with hereditary multiple osteochondromas have no mutation in either the *EXT1* or the *EXT2* gene. It is not known why multiple osteochondromas form in these individuals.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

Other Names for This Condition

- Bessel-Hagen disease
- diaphyseal aclasis
- exostoses, multiple hereditary
- familial exostoses
- hereditary multiple exostoses
- multiple cartilaginous exostoses
- multiple congenital exostosis
- multiple hereditary exostoses
- multiple osteochondromas
- multiple osteochondromatosis

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Multiple congenital exostosis
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0015306/>
- Genetic Testing Registry: Multiple exostoses type 2
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1851413/>

Other Diagnosis and Management Resources

- GeneReview: Hereditary Multiple Osteochondromas
<https://www.ncbi.nlm.nih.gov/books/NBK1235>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Benign Tumors
<https://medlineplus.gov/benigntumors.html>
- Health Topic: Bone Diseases
<https://medlineplus.gov/bonediseases.html>

Genetic and Rare Diseases Information Center

- Hereditary multiple osteochondromas
<https://rarediseases.info.nih.gov/diseases/7035/hereditary-multiple-osteochondromas>

Educational Resources

- Cleveland Clinic: Benign Bone Tumors
<http://my.clevelandclinic.org/health/articles/benign-bone-tumors>
- Disease InfoSearch: Hereditary multiple osteochondromas
<http://www.diseaseinfosearch.org/Hereditary+multiple+osteochondromas/9585>
- Disease InfoSearch: Multiple congenital exostosis
<http://www.diseaseinfosearch.org/Multiple+congenital+exostosis/8916>
- MalaCards: hereditary multiple osteochondromas
http://www.malacards.org/card/hereditary_multiple_osteochondromas

- Orphanet: Multiple osteochondromas
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=321
- The Atlas of Genetics and Cytogenetics in Oncology and Haematology
<http://atlasgeneticsoncology.org/Kprones/HeredMultExostosID10061.html>

Patient Support and Advocacy Resources

- National Organization for Rare Disorders (NORD)
<https://rarediseases.org/rare-diseases/hereditary-multiple-osteochondromas/>
- The MHE Research Foundation
<http://www.mheresearchfoundation.org/homepage.html>
- University of Kansas Medical Center
<http://www.kumc.edu/gec/support/mhe.html>

GeneReviews

- Hereditary Multiple Osteochondromas
<https://www.ncbi.nlm.nih.gov/books/NBK1235>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22hereditary+multiple+osteochondromas%22+OR+%22Exostoses%2C+Multiple+Hereditary%22+OR+%22Osteochondroma%22+OR+%22Osteochondromatosis%22+OR+%22hereditary+multiple+exostoses%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Exostoses,+Multiple+Hereditary%5BMAJR%5D%29+AND+%28%22hereditary+multiple+exostoses%5BTIAB%5D%29+OR+%28Hereditary+Multiple+Osteochondromas%5BTIAB%5D%29+OR+%28multiple+hereditary+exostoses%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

OMIM

- EXOSTOSES, MULTIPLE, TYPE I
<http://omim.org/entry/133700>
- EXOSTOSES, MULTIPLE, TYPE II
<http://omim.org/entry/133701>

Sources for This Summary

- Alvarez CM, De Vera MA, Heslip TR, Casey B. Evaluation of the anatomic burden of patients with hereditary multiple exostoses. Clin Orthop Relat Res. 2007 Sep;462:73-9.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17589361>
- Jäger M, Westhoff B, Portier S, Leube B, Hardt K, Royer-Pokora B, Gossheger G, Krauspe R. Clinical outcome and genotype in patients with hereditary multiple exostoses. J Orthop Res. 2007 Dec;25(12):1541-51.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17676624>
- Pedrini E, Jennes I, Tremosini M, Milanese A, Mordenti M, Parra A, Sgariglia F, Zuntini M, Campanacci L, Fabbri N, Pignotti E, Wuyts W, Sangiorgi L. Genotype-phenotype correlation study in 529 patients with multiple hereditary exostoses: identification of "protective" and "risk" factors. J Bone Joint Surg Am. 2011 Dec 21;93(24):2294-302. doi: 10.2106/JBJS.J.00949.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22258776>
- Pei Y, Wang Y, Huang W, Hu B, Huang D, Zhou Y, Su P. Novel mutations of EXT1 and EXT2 genes among families and sporadic cases with multiple exostoses. Genet Test Mol Biomarkers. 2010 Dec;14(6):865-72. doi: 10.1089/gtmb.2010.0040. Epub 2010 Nov 1.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21039224>
- Pierz KA, Stieber JR, Kusumi K, Dormans JP. Hereditary multiple exostoses: one center's experience and review of etiology. Clin Orthop Relat Res. 2002 Aug;(401):49-59.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12151882>
- Porter DE, Lonie L, Fraser M, Dobson-Stone C, Porter JR, Monaco AP, Simpson AH. Severity of disease and risk of malignant change in hereditary multiple exostoses. A genotype-phenotype study. J Bone Joint Surg Br. 2004 Sep;86(7):1041-6.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15446535>
- Stieber JR, Dormans JP. Manifestations of hereditary multiple exostoses. J Am Acad Orthop Surg. 2005 Mar-Apr;13(2):110-20. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15850368>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/hereditary-multiple-osteochondromas>

Reviewed: March 2016

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services